

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 05/22/2006

SDS No : 52-001.5

Date Revised : 09/03/2015

Revision No : 5

PermaFlo® DC - Catalyst**SECTION 1 : Identification of the substance/preparation and of the company/undertaking****1.1. Product identifier**

Product code : RC/63698
Product name : PermaFlo® DC - Catalyst
Product description : Dual-cure Composite Luting Resin

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Restorative Material

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Ultradent Products, Inc.
 505 W. 10200 S.
 South Jordan, UT 84095

Distributor

Ultradent Products GmbH
 Am Westhover Berg 30
 51149 Cologne Germany
 Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 1999/45/EC**

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Danger symbols : Xi

R phrases : R36,R43

Classification according to Regulation(EC) No 1272/2008 [CLP]

Health : Eye Irritation
 Skin Irritation
 Skin Sensitization

2.2. Label elements**Classification according to Directive 1999/45/EC**

Hazard pictogram(s) : Xi



Irritant

R&S statement(s) : R36: Irritating to eyes.
 R43: May cause sensitization by skin contact.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use

ULTRADENT
 PRODUCTS, INC.

Date Issued : 05/22/2006
 SDS No : 52-001.5
 Date Revised : 09/03/2015
 Revision No : 5

PermaFlo® DC - Catalyst

Classification according to Regulation(EC) No 1272/2008 [CLP]

Hazard pictogram(s)



Exclamation
 mark

Signal Word

: WARNING

Hazard statement(s)

: H319: Causes serious eye irritation.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.

Precautionary statement(s)

Prevention

: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

: P305: IF IN EYES:
 P351: Rinse cautiously with water for several minutes.
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P302+P352: IF ON SKIN: Wash with plenty of soap and water.
 P332+P313: If skin irritation occurs: Get medical advice/attention.

Storage

: P273: Avoid release to the environment.

Disposal

: P501: Dispose of in compliance with governmental regulation. (EC 1975L0442-20/11/2003)

2.3. Other hazards

Immediate concerns

: None

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt. %	Classification according to Directive 67/548/EEC	Classification according to Regulation(EC) No 1272/2008 [CLP]
Bis-GMA	1565-94-2	216-367-7	< 15	Xi; R36/37/38; R22	H315; H319; H317
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	< 20	Xi; R43	Not classified

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 05/22/2006
SDS No : 52-001.5
Date Revised : 09/03/2015
Revision No : 5

PermaFlo® DC - Catalyst

4.1. Description of first aid measures

- Following eyes** : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes.
- Following skin** : Wash with soap and water. Get medical attention if irritation develops or persists.
- Following ingestion** : No special measures required.
- Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : Causes eye irritation.
- Skin** : May cause skin irritation.
- Ingestion** : None expected for this product.
- Inhalation** : None expected for this product.

4.3. Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Not Applicable

SECTION 5: Fire fighting measures

5.1. Extinguishing media

- Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

- Explosion hazards** : Not Determined
- Fire explosion** : Not Determined
- Sensitive to static discharge** : Not Determined
- Sensitivity to impact** : Not Determined

5.3. Advice for firefighters

- Fire fighting procedures** : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.
- Fire fighting equipment** : Foam, dry chemical, carbon dioxide (CO₂).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General procedures** : Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

- Water spill** : Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

- Small spill** : Wipe up small amounts with chemical resistant or damp rag which is

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 05/22/2006

SDS No : 52-001.5

Date Revised : 09/03/2015

Revision No : 5

PermaFlo® DC - Catalyst

washed with large amounts of water after each use. After cleaning, flush away traces with water.

Large spill

: Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Handling : Keep away from heat sources and direct sunlight.

Storage : See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Restorative Material

SECTION 8: Exposure controls / personal protection**8.1. Control parameters**

Control parameters : Not Determined

8.2. Exposure controls

Eye/face protection : Wear eye protection

Skin protection : Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state : Viscous substance

Colour : Beige

Odour : Acrylic

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity : Polymerization occurs when exposed to visible light, ultraviolet light or extreme heat.

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 05/22/2006
SDS No : 52-001.5
Date Revised : 09/03/2015
Revision No : 5

PermaFlo® DC - Catalyst**10.3. Possibility of hazardous reactions****Hazardous polymerization** : None**10.4. Conditions to avoid****Conditions to avoid** : Visible light, ultraviolet light, and extreme heat**10.5. Incompatible materials****Incompatible materials** : None known.**10.6. Hazardous decomposition products****Hazardous decomposition products** : None known.**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute****Notes** : Device is biocompatible when used as directed by dental professionals per ISO 10993-1.**SECTION 12: Ecological information****12.1. Toxicity****Aquatic toxicity (acute)** : Do not allow to enter sewers or drains that may lead to waterways.**96-hour LC₅₀** : Not Determined**48-hour EC₅₀** : Not Determined**96-hour EC₅₀** : Not Determined**12.2. Persistence and degradability****Persistence and degradability** : Not Determined**12.3. Bioaccumulative potential****Bioaccumulative potential** : Not Determined**12.4. Mobility in soil****Mobility in soil** : Not Determined**12.5. Results of PBT and vPvB assessment****Results of PBT and vPvB assessment** : Not Determined**12.6. Other adverse effects****Environmental data** : No data available.**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal method** : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 05/22/2006

SDS No : 52-001.5

Date Revised : 09/03/2015

Revision No : 5

PermaFlo® DC - Catalyst**SECTION 14: Transport information****14.1. UN number**

UN number : N/A

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Primary hazard class/division : N/A

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : Not Dangerous Goods

RID - rail : Not Dangerous Goods

IMDG - sea : Not Dangerous Goods

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

Additional information : This product is not considered dangerous for transportation

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) : R22: Harmful if swallowed.
 R36/37/38: Irritating to eyes, respiratory system and skin.
 R43: May cause sensitization by skin contact.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.

Prepared by : Anu Kattoju

Revision summary : This SDS replaces the 04/09/2014 SDS. Revised: **Section 1:**
 . **Section 2:** EMERGENCY OVERVIEW - IMMEDIATE
 CONCERNS. **Section 4:** INGESTION, SIGNS AND SYMPTOMS OF

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use

**Date Issued :** 05/22/2006**SDS No :** 52-001.5**Date Revised :** 09/03/2015**Revision No :** 5**PermaFlo® DC - Catalyst**

OVEREXPOSURE (SKIN). **Section 8:** PERSONAL PROTECTIVE EQUIPMENT - SKIN. **Section 10:** CONDITIONS TO AVOID, HAZARDOUS POLYMERIZATION, STABLE. **Section 11:** ACUTE (ORAL LD₅₀ (rat), INHALATION LC₅₀ (rat) ACUTE. **Section 14:** ROAD AND RAIL (ADR/RID) - PROPER SHIPPING NAME ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS SECTION 14: Transport information, ADR - road, IMDG - sea, IATA - air. **Section 15:** SECTION 15: Regulatory information.

General statements

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.