

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 05/12/2006

SDS No : 48-001.7

Date Revised : 07/14/2015

Revision No : 7

PermaFlo® Purple**SECTION 1 : Identification of the substance/preparation and of the company/undertaking****1.1. Product identifier**

Product code : JR/94613
Product name : PermaFlo® Purple
Product description : Flowable Composite

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Anatomical Indicating Composite

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Ultradent Products, Inc.
 505 W. 10200 S.
 South Jordan, UT 84095

Distributor

Ultradent Products GmbH
 Am Westhover Berg 30
 51149 Cologne Germany
 Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 1999/45/EC**

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Danger symbols : Xi

R phrases : R36/38,R43

Classification according to Regulation (EC) No 1272/2008 [CLP]

Health : Eye Irritation
 Skin Sensitization

2.2. Label elements**Classification according to Directive 1999/45/EC**

Hazard pictogram(s) : Xi



Irritant

R&S statement(s) : R36/38: Irritating to eyes and skin.
 R43: May cause sensitization by skin contact.

Classification according to Regulation (EC) No 1272/2008 [CLP]

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use

ULTRADENT
 PRODUCTS, INC.

Date Issued : 05/12/2006
 SDS No : 48-001.7
 Date Revised : 07/14/2015
 Revision No : 7

PermaFlo® Purple

Hazard pictogram(s)



Exclamation
 mark

Signal Word

: WARNING

Hazard statement(s)

: H319: Causes serious eye irritation.
 H317: May cause an allergic skin reaction.

Precautionary statement(s)

Prevention

: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

: P305: IF IN EYES:
 P351: Rinse cautiously with water for several minutes.
 P313: Get medical advice/attention.
 P302+P352: IF ON SKIN: Wash with plenty of soap and water.

Storage

: P273: Avoid release to the environment.

Disposal

: P501: Dispose of in compliance with governmental regulation.(EC 1975L0442-10/11/2003)

2.3. Other hazards

Immediate concerns

: None

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt.%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No 1272/2008 [CLP]
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	≤ 20	Xi; R43	Not classified
Bis-GMA	1565-94-2	216-367-7	< 10	Xi; R36/37/38; R22	H315; H319; H317
Sodium Monofluorophosphate	10163-15-2	233-433-0	0.3	T; R22; R38	Acute Tox. (O),Cat. 4; H302

For full text of H-statements and R-phrases: see SECTION 16.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 05/12/2006
SDS No : 48-001.7
Date Revised : 07/14/2015
Revision No : 7

PermaFlo® Purple

SECTION 4: First aid measures

4.1. Description of first aid measures

- Following eyes** : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes.
- Following skin** : Wash with soap and water. Get medical attention if irritation develops or persists.
- Following ingestion** : If swallowed in small quantity the product is harmless, otherwise consult a doctor.
- Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : May cause mild irritation.
- Skin** : May cause sensitization to skin.
- Ingestion** : May be harmful if swallowed in large quantities.
- Inhalation** : None expected for this product.

4.3. Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Not Applicable

SECTION 5: Fire fighting measures

5.1. Extinguishing media

- Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : None known.
- Explosion hazards** : Not Determined
- Fire explosion** : Not Determined
- Sensitive to static discharge** : Not Determined
- Sensitivity to impact** : Not Determined

5.3. Advice for firefighters

- Fire fighting procedures** : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.
- Fire fighting equipment** : Foam, dry chemical, carbon dioxide (CO₂).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General procedures** : Refer to Section 8 for Personal Protective Equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 05/12/2006

SDS No : 48-001.7

Date Revised : 07/14/2015

Revision No : 7

PermaFlo® Purple**6.2. Environmental precautions****Water spill** : Do not allow to enter sewers or drains that may lead to waterways.**6.3. Methods and material for containment and cleaning up****Small spill** : Wipe up small amounts with chemical resistant or damp rag which is washed with large amounts of water after each use. After cleaning, flush away traces with water.**Large spill** : Absorb with inert, damp non-combustible material, then flush area with water.**6.4. Reference to other sections****Reference to other sections** : Not Applicable**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Handling** : Keep away from heat sources and direct sunlight.**Storage** : See product labeling.**7.2. Conditions for safe storage, including any incompatibilities****Shelf life** : See product labeling**7.3. Specific end use(s)****Specific end use(s)** : Professional Dental Anatomical Indicating Composite**SECTION 8: Exposure controls / personal protection****8.1. Control parameters****Control parameters** : Not Determined**8.2. Exposure controls****Eye/face protection** : Wear eye protection**Skin protection** : Wear suitable protective clothing and gloves.**Respiratory protection** : Good general ventilation should be sufficient to control airborne levels.**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Physical state** : Viscous substance**Colour** : Purple**Odour** : Acrylic**9.2. Other information****Percent volatile** : Not Determined**SECTION 10: Stability and reactivity****10.1. Reactivity**

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 05/12/2006
SDS No : 48-001.7
Date Revised : 07/14/2015
Revision No : 7

PermaFlo® Purple

Reactivity : Stable

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : None

10.4. Conditions to avoid

Conditions to avoid : Not Determined

10.5. Incompatible materials

Incompatible materials : Not Determined

10.6. Hazardous decomposition products

Hazardous decomposition products : None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

Notes : Device is biocompatible when used as directed by dental professionals per ISO 10993-1.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity (acute)

96-hour LC₅₀ : Not Determined

48-hour EC₅₀ : Not Determined

96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Not Determined

12.6. Other adverse effects

Environmental data : No data available.

SECTION 13: Disposal considerations

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 05/12/2006
SDS No : 48-001.7
Date Revised : 07/14/2015
Revision No : 7

PermaFlo® Purple

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information

14.1. UN number

UN number : N/A

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : Not Dangerous Goods

RID - rail : Not Dangerous Goods

IMDG - sea : Not Dangerous Goods

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : Not Dangerous Goods

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

RoHS : Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

Additional information : This product is not considered dangerous for transportation

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) : R22: Harmful if swallowed.
 R36/37/38: Irritating to eyes, respiratory system and skin.
 R38: Irritating to skin.
 R43: May cause sensitization by skin contact.
 Acute Tox. (O), Cat. 4: Acute Toxicity (Oral), Category 4
 H302: Harmful if swallowed.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 05/12/2006
SDS No : 48-001.7
Date Revised : 07/14/2015
Revision No : 7

PermaFlo® Purple

H319: Causes serious eye irritation.

Prepared by

: Anu Kattoju

Revision summary

: This SDS replaces the 04/30/2015 SDS. Revised: **Section 1:**
 . **Section 14:** UN number. **Section 15:** COMMENTS. **Section 16:**
 GENERAL STATEMENTS.

General statements

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.