according to Regulation (EC) No. 453/2010 **Dental Use** 



**Date Issued:** 12/13/2006 **SDS No:** 81-001.6

**Date Revised:** 04/30/2015

**Revision No:** 5

# **EtchArrest®**

# SECTION 1: Identification of the substance/preparation and of the company/undertaking

### 1.1. Product identifier

**Product code :** EA/62515 **Product name** : EtchArrest®

**Product description** : Acid Barrier/Neutralizer

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Acid Barrier/Neutralizer

# 1.3. Details of the supplier of the safety data sheet

#### Manufacturer Distributor

Ultradent Products, Inc. 505 W. 10200 S.

South Jordan, UT 84095

Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDE@ultradent.com

**Emergency Phone:** +49(0)2203-35-92-0

#### 1.4. Emergency telephone number

**CHEMTREC (NORTH AMERICA) :**(800) 424 - 9300

(INTERNATIONAL) :+1(703) 527 - 3887

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Directive 1999/45/EC

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies. This material is not considered hazardous to health.

# Classification according to Regulation (EC) No 1272/2008 [CLP]

Health : None

# 2.2. Label elements

Classification according to Directive 1999/45/EC: This material is not considered to be hazardous for the health.

# Classification according to Regulation (EC) No 1272/2008 [CLP]

: 9502HLMN: This Material is not considered to be hazardous for the **Hazard statement(s)** 

health.

# Precautionary statement(s)

Prevention : P280: Wear protective gloves/protective clothing/eye protection/face

protection.

: P305: IF IN EYES: Response

P351: Rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists: Get medical advice/attention. P302+P352: IF ON SKIN: Wash with plenty of soap and water.

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued: 12/13/2006 SDS No: 81-001.6

**Date Revised:** 04/30/2015

**Revision No:** 5

# **EtchArrest®**

P332+P313: If skin irritation occurs: Get medical advice/attention.

**Storage** : P273: Avoid release to the environment.

**Disposal**: P501: Dispose of in compliance with governmental regulation.(EC

1975L0442-20/11/2003)

2.3. Other hazards

Immediate concerns : None

### **SECTION 3: Composition / information on ingredients**

#### 3.1. Substances

Not Applicable

### 3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt.%	Classification according to Directive 67/548/EEC	Regulation (EC) No
Calcium carbonate	471-34-1	207-439-9	< 5	Xi; R36/37/38	Not classified

For full text of H-statements and R-phrases: see SECTION 16.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**Following eyes**: Hold eyelids apart and flush eyes with plenty of water for at least 5

minutes. Get medical attention If irritation develops or persists.

**Following skin**: Wash with soap and water. Get medical attention if irritation develops

or persists.

**Following ingestion**: If swallowed in small quantity the product is harmless, otherwise

consult a doctor.

Following inhalation : No specific treatment is necessary since this material is not likely to be

hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other

symptoms develop.

### 4.2. Most important symptoms and effects, both acute and delayed

Eyes : No specific hazards are encountered under normal product use.Skin : No specific hazards are encountered under normal product use.

Ingestion : None expected for this product.Inhalation : None expected for this product.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Not Applicable

according to Regulation (EC) No. 453/2010
Dental Use



**Date Issued:** 12/13/2006

**SDS No:** 81-001.6 **Date Revised:** 04/30/2015

**Revision No:** 5

# **EtchArrest®**

# **SECTION 5: Fire fighting measures**

### 5.1. Extinguishing media

**Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

# 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: None known.

Explosion hazards: Not Determined

Fire explosion: Not Determined

Sensitive to static discharge: Not Determined

Sensitivity to impact: Not Determined

### 5.3. Advice for firefighters

**Fire fighting procedures**: General: Evacuate all personnel; use protective equipment for fire-

fighting. Use self-contained breathing apparatus when the product is

involved in fire.

**Fire fighting equipment**: Water spray, fog, or mist, foam, dry chemical, carbon dioxide.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

**General procedures**: Refer to Section 8 for Personal Protective Equipment.

### 6.2. Environmental precautions

**Water spill**: Do not allow to enter sewers or drains that may lead to waterways.

### 6.3. Methods and material for containment and cleaning up

**Small spill** : Wipe up small amounts with chemical resistant or damp rag which is

washed with large amounts of water after each use. After cleaning,

flush away traces with water.

**Large spill** : After removal, flush contaminated area thoroughly with water.

#### 6.4. Reference to other sections

**Reference to other sections**: Not Applicable

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Handling** : Use suitable protective equipment.

**Storage**: See product labeling.

# 7.2. Conditions for safe storage, including any incompatibilities

**Shelf life** : See product labeling

7.3. Specific end use(s)

**Specific end use(s)**: Professional Dental Acid Barrier/Neutralizer

# SECTION 8: Exposure controls / personal protection

according to Regulation (EC) No. 453/2010
Dental Use



**Date Issued:** 12/13/2006

**SDS No:** 81-001.6 **Date Revised:** 04/30/2015

**Revision No:** 5

# **EtchArrest®**

8.1. Control parameters

**Control parameters**: Not Determined

8.2. Exposure controls

Eye/face protection : Wear eye protection
Skin protection : Wear suitable gloves.

**Respiratory protection**: Good general ventilation should be sufficient to control airborne levels.

**SECTION 9: Physical and chemical properties** 

9.1. Information on basic physical and chemical properties

Physical state : Viscous substance

**Colour** : Purple

**Odour** : Odorless or no characteristic odor

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** : Stable

**10.2.** Chemical stability

**Chemical stability**: Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

**Hazardous polymerization**: None

10.4. Conditions to avoid

**Conditions to avoid** : Acids and oxidizing agents

10.5. Incompatible materials

**Incompatible materials**: Not Determined

10.6. Hazardous decomposition products

**Hazardous decomposition**: None known.

products

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute

**Notes**: Device is biocompatible when used as directed by dental professionals

per ISO 10993-1.

# **SECTION 12: Ecological information**

according to Regulation (EC) No. 453/2010
Dental Use



**Date Issued:** 12/13/2006

**SDS No:** 81-001.6 **Date Revised:** 04/30/2015

**Revision No:** 5

# **EtchArrest®**

12.1. Toxicity

**Aquatic toxicity (acute)** 

96-hour LC<sub>50</sub> : Not Determined
48-hour EC<sub>50</sub> : Not Determined
96-hour EC<sub>50</sub> : Not Determined

12.2. Persistence and degradability

Persistence and degradability : Not Determined

12.3. Bioaccumulative potential

**Bioaccumulative potential**: Not Determined

12.4. Mobility in soil

**Mobility in soil** : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB : Not Determined

assessment

12.6. Other adverse effects

**Environmental data** : No data available.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

**Disposal method**: Dispose of in compliance with governmental regulation. (EC

1975L0442-20/11/2003)

**SECTION 14: Transport information** 

14.1. UN number

UN number : N/A

14.2. UN proper shipping name

**UN proper shipping name** : Not Dangerous Goods

14.3. Transport hazard class(es)

**Hazard classification** : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : Not Dangerous Goods
RID - rail : Not Dangerous Goods
IMDG - sea : Not Dangerous Goods

according to Regulation (EC) No. 453/2010
Dental Use



**Date Issued :** 12/13/2006

**SDS No:** 81-001.6 **Date Revised:** 04/30/2015

Revision No: 5

### **EtchArrest®**

IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

**Transport in bulk** : Not Dangerous Goods

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**RoHS**: Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

**Chemical safety assessment**: See Section 11

# **SECTION 16: Other information**

Relevant R-phrases and/or Hstatements (number and full

statements (number and full text)

uli

: R36/37/38: Irritating to eyes, respiratory system and skin.

Prepared by

: Anu Kattoju

**Revision summary** 

: This SDS replaces the 10/15/2014 SDS. Revised: **Section 1**:

. Section 2: EMERGENCY OVERVIEW - IMMEDIATE

CONCERNS. Section 10: HAZARDOUS POLYMERIZATION,

STABLE. **Section 11:** ACUTE ( ORAL  $LD_{50}$  (rat), INHALATION  $LC_{50}$  (rat) ACUTE. **Section 14:** VESSEL (IMO/IMDG) - MARINE POLLUTANT #1. **Section 15:** SECTION 15: Regulatory information. **Section 16:** 

GENERAL STATEMENTS.

**General statements** 

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no

liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and

determine whether they are appropriate.