

SAFETY DATA SHEET
according to Regulation (EC) No. 453/2010
Dental Use

ULTRADENT
PRODUCTS, INC.

Date Issued : 12/15/2006
SDS No : 85-001.7
Date Revised : 09/19/2016
Revision No : 8

PermaSeal®

SECTION 1 : Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Product code : PS/63010
Product name : PermaSeal®
Product description : Composite sealer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Composite Sealer

1.3. Details of the supplier of the safety data sheet

Manufacturer

Ultradent Products, Inc.
505 W. 10200 S.
South Jordan, UT 84095

EC Responsible Person

Ultradent Products GmbH
Am Westhover Berg 30
51149 Cologne Germany
Email: infoDE@ultradent.com
Emergency Phone : +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300
(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 1999/45/EC

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Danger symbols : Xi

R phrases : R36/37/38, R43

Classification according to Regulation(EC) No 1272/2008 [CLP]

Health : Eye Irritation, Category 2B
Skin Irritation, Category 2
Skin Sensitization, Category 1
Acute Toxicity (Inhalation), Category 3

2.2. Label elements

Classification according to Directive 1999/45/EC

Hazard pictogram(s) : Xi



Irritant

R& statement(s) : R36/37/38: Irritating to eyes, respiratory system and skin.
R43: May cause sensitization by skin contact.

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use

ULTRADENT
 PRODUCTS, INC.

Date Issued : 12/15/2006
 SDS No : 85-001.7
 Date Revised : 09/19/2016
 Revision No : 8

PermaSeal®

Classification according to Regulation(EC) No 1272/2008 [CLP]

Hazard pictogram(s)

:



Exclamation
mark

Signal Word

: WARNING

Hazard statement(s)

: H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.
 H335: May cause respiratory irritation.

Precautionary statement(s)

Prevention

: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

: P305: IF IN EYES:
 P351: Rinse cautiously with water for several minutes.
 P315: Get immediate medical advice/attention.
 P302+P352: IF ON SKIN: Wash with plenty of soap and water.
 P361: Take off immediately all contaminated clothing.
 P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
 P301: IF SWALLOWED:
 P331: Do NOT induce vomiting.
 P304: IF INHALED:
 P313: Get medical advice/attention.

Storage

: P273: Avoid release to the environment.

Disposal

: P501: Dispose of in compliance with governmental regulation. (EC1975L0442-20/11/2003)

2.3. Other hazards

Conclusion The substance does not fulfill the PBT and vPvB criteria for screening assessment; there are no indications of P or B properties.

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued : 12/15/2006
SDS No : 85-001.7
Date Revised : 09/19/2016
Revision No : 8

PermaSeal®

Chemical Name	CAS	EINECS No.	Wt.%	Classification according to Directive 67/548/EEC	Classification according to Regulation(EC) No 1272/2008 [CLP]
Bis GMA	1565-94-2	216-367-7	60	Xi; R22; R36/37/38	Skin Irr.,Cat. 2; Eye Irr.,Cat. 2B; Skin Sens.,Cat. 1; H315; H317; H319
Triethylene Glycol Dimethacrylate	109-16-0	203-652-6	< 40	Xi; R43	Skin Sens.,Cat. 1B; H317
2-dimethylaminoethyl Methacrylate	2867-47-2	220-688-8	< 3	T, Xi; R22; R36/37/38; R43	Acute Tox. (O),Cat. 4; Skin Corr.,Cat. 1C; Flam. Liq.,Cat. 4; H302; H314; H227

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

- Following eyes** : Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
- Following skin** : Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
- Following ingestion** : If swallowed, Do Not Induce Vomiting- Seek Medical Advice.
- Following inhalation** : Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : Contact may cause eye irritation.
- Skin** : May cause skin irritation and sensitization.
- Ingestion** : May be irritating to mouth, throat, and stomach
- Inhalation** : May be harmful if inhaled.

4.3. Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Not Applicable

SECTION 5: Fire fighting measures

5.1. Extinguishing media

- Extinguishing media** : Foam, dry chemical, carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : None known.

5.3. Advice for firefighters

- Fire fighting procedures** : General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General procedures** : Refer to Section 8 for Personal Protective Equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued : 12/15/2006
SDS No : 85-001.7
Date Revised : 09/19/2016
Revision No : 8

PermaSeal®

6.2. Environmental precautions

Water spill : Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

Small Spill : Pick up wash liquid with additional absorbent and place in a disposable container.

Large Spill : Collect in tightly closed containers.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling : Use suitable protective equipment.

Storage : Store in a cool place in original container and protect from sunlight.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Composite Sealer

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters : None known.

8.2. Exposure controls

Eye/face protection : Wear eye protection

Skin protection : Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels. In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Low viscosity liquid

Appearance : Clear, yellow

Odour : Acrylic

pH : NAP (non-aqueous)

Specific gravity : 1.0 to 1.1

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity

10.1. Reactivity

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued : 12/15/2006
SDS No : 85-001.7
Date Revised : 09/19/2016
Revision No : 8

PermaSeal®

Reactivity : Stable

10.2. Chemical stability

Chemical stability : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : None

10.4. Conditions to avoid

Conditions to avoid : Heat, flames, ignition sources, direct light.

10.5. Incompatible materials

Incompatible materials : Not Determined

10.6. Hazardous decomposition products

Hazardous decomposition products : None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

Dermal LD₅₀ : ≥ 2000 mg/kg Rabbit/Rat/Mouse

Notes : ~60% of the mixture consists of components of unknown toxicity (dermal).

Oral LD₅₀ : > 4300 mg/kg (Rat)

Notes : ~60% of the mixture consists of components of unknown toxicity (Rat)

Inhalation LC₅₀ : > 0.6 mg/L/4H Rat

Notes : ~97% of the mixture consists of components of unknown toxicity (Inhalation)

Other information : Device is biocompatible when used as directed by dental professionals per ISO 10993-1.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity (acute) : Do not allow to enter sewers or drains that may lead to waterways.

12.2. Persistence and degradability

Persistence and degradability : Not classified

12.3. Bioaccumulative potential

Bioaccumulative potential : Not classified

12.4. Mobility in soil

Mobility in soil : Not Available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : Conclusion The substance does not fulfill the PBT and vPvB criteria for screening assessment; there are no indications of P or B properties.

12.6. Other adverse effects

Environmental data : Do not flush to sewer.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued : 12/15/2006
SDS No : 85-001.7
Date Revised : 09/19/2016
Revision No : 8

PermaSeal®

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation.(EC 1975L0442-20/11/2003)

SECTION 14: Transport information

14.1. UN number

UN number : NAP

14.2. UN proper shipping name

UN proper shipping name : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : NAP

14.4. Packing group

Packing group : NAP

14.5. Environmental hazards

Marine pollutant #1 : NAP

14.6. Special precautions for user

ADR - road : NAP

RID - rail : NAP

IMDG - sea : NAP

IATA - air : NAP

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : NAP

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

General comments : Please refer to Medical Devices Directive 93/42/EEC.

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

Additional information : None of the ingredients are listed as a carcinogen by IARC, NTP, or CA Prop 65.
This product is not considered dangerous for transportation.

SECTION 16: Other information

Relevant R-phrases and/or H-statements (number and full text) : R22: Harmful if swallowed.
R36/37/38: Irritating to eyes, respiratory system and skin.
R43: May cause sensitization by skin contact.
Acute Tox. (O), Cat. 4: Acute Toxicity (Oral), Category 4
Eye Irr., Cat. 2B: Eye Irritation, Category 2B
Flam. Liq., Cat. 4: Flammable Liquids, Category 4

SAFETY DATA SHEET
 according to Regulation (EC) No. 453/2010
 Dental Use



Date Issued : 12/15/2006
 SDS No : 85-001.7
 Date Revised : 09/19/2016
 Revision No : 8

PermaSeal®

Skin Corr., Cat. 1C: Skin Corrosion, Category 1C
 Skin Irr., Cat. 2: Skin Irritation, Category 2
 Skin Sens., Cat. 1B: Skin Sensitization, Category 1B
 Skin Sens., Cat. 1: Skin Sensitization, Category 1
 H227: Combustible liquid.
 H302: Harmful if swallowed.
 H314: Causes severe skin burns and eye damage.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.

Prepared by

: Anu Kattoju

Revision summary

: This SDS replaces the 04/30/2015 SDS. Revised: **Section 1:** MSDS No. **Section 2:** EMERGENCY OVERVIEW - IMMEDIATE CONCERNS 2.3. Other hazards. **Section 5:** EXPLOSION HAZARDS, EXTINGUISHING MEDIA, FIRE EXPLOSION, FIRE FIGHTING EQUIPMENT, SENSITIVE TO STATIC DISCHARGE, SENSITIVITY TO IMPACT. **Section 8:** . **Section 9:** APPEARANCE, COLOR, pH, PHYSICAL STATE, SPECIFIC GRAVITY. **Section 11:** ACUTE (DERMAL LD₅₀ (rabbit), DERMAL LD₅₀ (rabbit), DERMAL LD₅₀ (rabbit), ORAL LD₅₀ (rat), INHALATION LC₅₀ (rat), ORAL LD₅₀ (rat), ORAL LD₅₀ (rat), INHALATION LC₅₀ (rat), INHALATION LC₅₀ (rat), INHALATION LC₅₀ (rat), ORAL LD₅₀ (rat) ACUTE, GENERAL COMMENTS. **Section 12:** CHEMICAL FATE INFORMATION, DISTRIBUTION, BIOACCUMULATION/ACCUMULATION, AQUATIC TOXICITY (ACUTE), AQUATIC TOXICITY (ACUTE) (48-HOUR EC₅₀, 96-HOUR EC₅₀), SECTION 12: Ecological information. **Section 14:** ROAD AND RAIL (ADR/RID), VESSEL (IMO/IMDG) - MARINE POLLUTANT #1 ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS SECTION 14: Transport information, UN number, Packing group, ADR - road, IMDG - sea, IATA - air. **Section 15:** COMMENTS, GENERAL COMMENTS, RoHS. **Section 16:** GENERAL STATEMENTS.

General statements

: NAP = Not Applicable
 NE = Not Established
 TLV = Threshold Limit Value
 PEL = Permittable exposure limits
 MAK = Maximum Workplace Concentration
 STEL = Short-term exposure limit
 STEV = Short-term exposure value
 TWA = Time Weighted Average
 PPE = Personal Protective Equipment

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.